

## Solar Bronze 20 OSW

### Performance Data


Total Solar Energy Reduction	79%
Solar Energy Reflected	56%
Solar Energy Absorbed	31%
Solar Energy Transmittance	13%
Visible Light Transmittance	16%
Visible Light Reflected	43%
Ultra Violet Light Reflected	99%
Shading Coefficient	.25
Solar Heat Gain Coeff. (g Value)	.22
Emissivity	.69
Winter U-Factor (W/m <sup>2</sup> °C)	2.71
Glare Reduction	77%

### Performance Guide

Solar Heat Rejection	☀️☀️☀️☀️☀️☀️☀️☀️☀️☀️
Glare Reduction	☀️☀️☀️☀️☀️☀️☀️☀️☀️☀️
UV Reduction	☀️☀️☀️☀️☀️☀️☀️☀️☀️☀️
Fade Reduction	☀️☀️☀️☀️☀️☀️☀️☀️☀️☀️
Safety & Security	☀️☀️☀️☀️☀️☀️☀️☀️☀️☀️
One-Way Privacy	☀️☀️☀️☀️☀️☀️☀️☀️☀️☀️
Two-Way Privacy	☀️☀️☀️☀️☀️☀️☀️☀️☀️☀️
Scratch Resistance Coating	Yes
Warranty Period	7 Years
Application	External

Key:

Excellent ☀️☀️☀️☀️☀️☀️☀️☀️☀️☀️ Some Benefit ☀️☀️☀️☀️☀️☀️☀️☀️☀️☀️  
 N/A ☀️☀️☀️☀️☀️☀️☀️☀️☀️☀️



**TROL** Ltd  
 W FILMS

### Window Film Description

This external solar reflective metal sputtered window film, offering excellent solar heat and glare reduction, but allows the natural light to enter, for a luminous interior, while affording a comfortable and temperate environment.

This film from the outside view provides an attractive warm copper finish with a clear view looking out.

7 year warranty against peeling, discolouration, bubbling and cracking.

### Applications

Ideal for external glass applications where an internal film is not suitable for glass application or internal access to the glazing is restricted. This film is suitable or including commercial, residential and industrial applications. A popular film for schools and commercial buildings.